

Water Cooling Series

Equipped with a German water-cooled vacuum pump (capable of achieving a vacuum of -0.96 bar) ensures successful sterilization and optimal dryness of instruments in continuous operation.

Q72B



Continuous operation

It is perfect for practices with larger sets of instruments and suitable for practices that wish to carry out several sterilization processes one after another.



Gentleness on delicate instruments

Precise temperature and pressure control in the chamber to ensure that instruments are heated evenly on both the inside and outside to prevent damage.



Fast

Sterilization cycle of 20 minutes to facilitate the rapid turnover of handpieces, scaler handpieces, implant handpieces, and implant kits.



One-touch screen

The coloured touch screen displays real-time information on the sterilization cycle, including temperature in the chamber, pressure in the chamber, and elapsed time.



Easy maintenance

External water connection, distilled water is fed from external water reservoirs automatically. After one cycle, no need of cleaning the water tank and discharge the waste water regularly.



Excellent drying performance

Vacuum drying function avoids damage caused by hot air drying in high temperature aerobic environments, and achieves excellent drying of wrapped instruments.



Technical Specifications

Model	Q72B
Vol	23L
Screen	Multi-Color LCD4.3" Touch Screen
Door Lock	Electrical Safety Door
Device Dimensions	452mm(W)*446mm(H)*685mm(D)
Chamber Dimensions	φ 253mm*460mm
Weight	57KG
Power	220V/50HZ/2500W
Data Interface	USB/RS232
Printer	External Printer (Optional)
Tray	3 Layers Tray (Optional:5 Layer Tray)
Vacuum level	-0.96bar
Residual Humidity	< 0.1%

Note: All technical data, programs, and configurations may vary with models. HaeTmed reserves the right to modify technical parameters without prior notice.

Features

- 3-time pre-vacuum
- External water tank
- Vacuum drying
- Pre-heat feature
- Emergency stop
- Smart load monitor system
- Embedded control system
- Intelligent error detection
- Innovative jog-dial knob
- External water circulation
- Power off Protection
- Built-in large memory
- Water quality monitor
- Custom program
- Manual lock
- Color LCD touch screen
- Preset timer
- 9 programs
- Automatic upgrade with USB driver

Product Measurements

Q72B

